

Exam 000-938 study material

Made available by Examsexpert.com



Free 000-938 Exam Preparation Questions

Exam 000-938: IBM Tivoli Netcool Impact V4.0 Implementation

Question: 1

On a UNIX platform, which binary is used to compile Web Services Description Language (WSDL) and a file for a Web service integration into IBM Tivoli Netcool Impact?

- A. \$NCHOME/impact/bin/wsdL_compile
- B. \$NCHOME/impact/bin/compile_wsdL
- C. \$NCHOME/impact/bin/nci_compilewsdl
- D. \$NCHOME/impact/bin/nci_wsdLcompile

Answer: C

Question: 2

In which IBM Tivoli Netcool Impact service is Event Locking set to categorize incoming alerts based on the values of specified alert fields when running with multiple threads?

- A. Event Reader
- B. Policy Activator
- C. Event Processor
- D. Command Execution Manager

Answer: A

Question: 3

Which statement is true about the Event Processor service?

- A. The Event Processor can be configured to run as a multi-thread service.
- B. Separate Event Processor services need to be configured for each Event Reader configured.
- C. It is not possible to limit the size of event blocks the Event Processor service fetches from an Event Reader.
- D. The Event Processor service does not need to be started to process Event Reader events through IBM Tivoli Netcool Impact policies.

Answer: A

Question: 4

Within the IBM Tivoli Netcool Impact GUI, which term identifies a database instance?

- A. Data item
- B. Data type
- C. Data source
- D. Data type link

Answer: C

Question: 5

When the Get updated events checkbox is not selected, which field in the ObjectServer is used to determine whether or not to process an event?

- A. Serial
- B. Identifier
- C. StateChange
- D. LastOccurrence

Answer: A

Question: 6

An IBM tivoli Netcool Impact server is to be deployed to enrich events with data from the customer's sales database that is held in Sybase. Which two components of IBM Tivoli Netcool Impact can be used to achieve this? (Choose two.)

- A. Event Reader service
- B. 3MS data source adapter
- C. ODBC data source adapter
- D. Oracle data source adapter
- E. Sybase data source adapter

Answer: A, E

Question: 7

What is the purpose of the Policy Profiling option in the Policy Logger service configuration?

- A. To analyze all the variables in a policy and print the values to the log file
- B. To calculate the number of threads a policy is running and output it to the log file
- C. To calculate the amount of time a policy takes to process and output it to the log file
- D. To calculate the number of events being processed by the policy and output it to the log file

Answer: C

Question: 8

Which three pieces of information are required to configure a flat file data source? (Choose three.)

- A. File name
- B. Data headers
- C. Data delimiters
- D. File directory path
- E. Data source name
- F. Number of columns

Answer: C, D, E

Question: 9

There are two policies that need to run in a particular order and the Event Processor is running two threads. How can this be handled in IBM Tivoli Netcool Impact?

- A. Use Event Locking
- B. Put the policies in the proper order in the Event Mapping list
- C. Combine the two policies to ensure that one thing happens before the other
- D. Put the policies in the proper order in the Event Mapping list and select the Chain checkbox next to each policy

Answer: D

Question: 10

As part of the IBM Tivoli Netcool Solution, an IBM Tivoli Netcool Impact policy will interface two tables in one Oracle database and three tables in a MySQL database. In the policy code, only GetByLinks, GetByKey and GetByFilter action functions will be used. How many data sources and data types need to be created?

- A. One data source and ten data items
- B. No data sources and ten data types
- C. Two data sources and no data types
- D. Two data sources and five data types

Answer: D

Question: 11

Which three parameters are required for the ncltrigger command? (Choose three.)

- A. Serial field
- B. Identifier field
- C. Name of the policy
- D. valid username and password combination
- E. Name of the IBM Tivoli Netcool Impact server
- F. Host name of the server running IBM Tivoli Netcool Impact

Answer: C, D, E

Question: 12

The IBM Tivoli Netcool Impact Operator View can be used to display structured data from one or more data types. From which two functions in the Operator Configuration GUI can data items from these data types be retrieved? (Choose two.)

- A. GetByKey
- B. DirectSQL
- C. GetByFilter
- D. GetByDate
- E. GetScheduleMembers

Answer: A, C

Question: 13

What action can be taken to ensure that IBM Tivoli Netcool Impact policy development actually meets a customer functional requirements prior to executing system tests?

- A. Map requirements into system test cases
- B. Map Impact policy code against input events
- C. Map Impact event filters against system data
- D. Map IBM Tivoli Netcool Impact data sources into system stakeholder responsibility matrix

Answer: A

Question: 14

Which statement is true about the Event Reader service?

- A. The data source for the Event Reader can be an ObjectServer.
- B. The Event Reader service can only contain one restriction filter to trigger a single policy.
- C. The data source for the Event Reader can be any of the SQL data sources supported by IBM Tivoli Netcool Impact.
- D. The Event Reader service listens for incoming communication from an external data source through a data source adapter.

Answer: A

Question: 15

What is the correct IBM Tivoli Netcool Impact policy syntax for deleting an event from the ObjectServer when returning it to the event source?

- A. @SetDelete = True;
- B. \$DeleteEvent = "True";
- C. @DeleteEvent = True;
- D. ReturnEvent(@DeleteEvent);

Answer: C

Question: 16

A new field called ImpactStatus is to be added to the alerts.status table. The field will contain an integer value of 0 through 5, which will reflect a specific point in a four-stage process that IBM Tivoli Netcool Impact will execute on the event. A value of 0 will designate that processing has not begun, and a value of 5 will indicate processing is completed. Which action must be taken after the new field is added?

- A. Event Reader filters must be modified to use the new field in event mappings and sequences.
- B. The IBM Tivoli Netcool Impact data type associated with the alerts.status table must be refreshed.
- C. The ObjectServer must be restarted so that the new field information is published to the IBM Tivoli Netcool Impact server.
- D. Values associating strings, such as Processing Complete, with the integer 5 should be added to the alerts.conversions table.

Answer: B

For complete [Exam 000-938 Training kits and Self-Paced Study Material](http://www.Examsexpert.com/000-938.html)

Visit:

<http://www.Examsexpert.com/000-938.html>



For Latest 000-938 Exam Questions and study guides- visit- <http://www.Examsexpert.com/000-938.html>